

# MENUMASTER®

Commercial

MSO



MXP Series



DEC Series

Jetwave™



RCS511DSE

## Full Line PRODUCT CATALOG



RCS511TS



RMS510TS



OnCue™



RFS Series



RMS510DS

*Changing the Way the World Cooks*

COMMERCIAL MICROWAVE OVENS | HIGH SPEED COMBINATION OVENS

# TABLE OF CONTENTS

## Usage and Wattage Comparisons

### Table of Contents

Table of Contents and General Information .....	2
Ali Group information.....	3
MXP Oven.....	4
Jetwave™ Oven.....	5
Jetwave™/MXP comparison and accessories.....	6
On Cue™ Oven .....	7
MSO Oven .....	8
Simplify Steaming .....	9
DEC Oven.....	10
General Information .....	11
RFS Oven .....	12
RCS Oven .....	13
RMS Oven.....	14
Warranty Information .....	15
Oven Specification Comparison.....	16

### Alphabetical Model Index

DEC21E2 .....	10	JET514.....	5	MSO5353.....	8
DEC18E2 .....	10	JET514V.....	5	MSO5211.....	8
DEC14E2 .....	10	JET5192.....	5	On Cue™ .....	7
MXP5221T .....	4	JET519V2 .....	5	RCS511TS .....	13
MXP5223T .....	4	JET5193.....	5	RCS511DSE.....	13
MXP5221TLT .....	4	JET519V3 .....	5	RFS518TS.....	12
MXP5223TLT .....	4	MSO5351.....	8	RMS510TS.....	14
				RMS510DS.....	14

**22 models and 8 different chassis!**



Value Line	50 uses per day
Restaurant Line	50-125 uses per day
Chef Line	125-200+ uses per day

### Watts the Difference? Advantages of Higher Wattage

Here's how it works.... If a **1,000 watt oven** cooks a baked potato in **4 minutes 3 seconds** the throughput is **13 baked potatoes in 1 hour**. Then, a **2,200 watt oven** cooks a baked potato in **1 minute 50 seconds** the throughput is **28 baked potatoes in 1 hour**.

#### Microwave Wattage Chart Comparison

Oven Wattage	1000	1100	1400	1800	2100	2400	3500
Cooking time for 1 baked potato	:25	:22	:18	:12	:10	:09	:06
	:52	:48	:37	:27	:21	:19	:13
	1:14	1:06	:57	:39	:32	:28	:20
	1:39	1:29	1:10	:52	:42	:38	:26
	4:03	3:34	2:50	2:10	1:50	1:35	1:05
	8:15	7:23	5:40	4:00	3:12	2:50	2:00



Search [www.facebook.com/ACPInc](http://www.facebook.com/ACPInc).



[twitter.com/ACP\\_Inc](http://twitter.com/ACP_Inc)



225 49th Ave. Dr. SW  
Cedar Rapids, IA 52404 U.S.A.  
800-233-2366 | 319-368-8120  
Fax: 319-368-8198  
[www.acpsolutions.com](http://www.acpsolutions.com)

**Pragmatism and Initiative:  
How To Build A Success Story,  
One Step At A Time**

- 2013 • Acquisition of Rancilio Group (I)
- 2012 • Acquisition of Scotsman Group (USA)
- 2010 • Acquisition of Edlund (USA)
- 2008 • Acquisition of Beverage-Air (USA)
- 2007 • Acquisition of FIMI (I), AFE Group – Aga Foodservice Equipment (UK)
- 2006 • Foundation of Ali Group China, acquisition of CMA (USA)
- 2004 • Acquisition of Metos (FI), Baron (I), Dihr (I), Friulinox (I), Olis (I) and Polaris (I)
- 2002 • Acquisition of Aladdin Temp-Rite (USA & EU)
- 2000 • Acquisition of Friginox (F), Grandimpianti Laundry (I), Moffat (AUS & NZ), Rosinox (F), Washtech (NZ)
- 1999 • Acquisition of GBG (I), Promag (I) and Sencotel (E)
- 1998 • Acquisition of Burlodge (UK & I), Krefft (D), foundation of Hiber (I)
- 1997 • Acquisition of Stierle (D), foundation of Ali Middle East
- 1996 • Acquisition of Catemar Iberica (E), Hoonved (I), Mareno (I), Mareno (UK), OEM (I), Ott Freezer (CH)
- 1995 • Acquisition of Silko (I)
- 1994 • Foundation of Alicontact (I)
- 1992 • Establishment of Coldelite Europe (I)
- 1990 • Acquisition of Dawson (UK)
- 1989 • Acquisition of Ambach (I), Aurea (I), Carpigiani (I), Cattabriga (I), Moyer Diebel (CAN), Coldelite (USA)
- 1987 • Acquisition of Lainox (I)
- 1980 • Acquisition of Champion (USA)
- 1972 • Establishment of Ali Comenda (F)
- 1963 • Luciano Berti founded Comenda



global foodservice equipment

**Ali Group – present in almost every sector of the hospitality industry.**

The Ali Group, established in 1963, has evolved into a large-scale food service equipment group comprised of 66 well-known brands with facilities across the United States, Europe, China and Australia. Over the last 50 years, Ali Group has become one of the leading companies in the foodservice equipment industry.

From preparation to cooking, from meal distribution to dishwashing and laundry, from refrigeration to ice production, from gelateria to bakery and patisserie, Ali Group has the ideal solution for you.

- **Cooking**
- **Bakery**
- **Meal Delivery & Preparation**
- **Refrigeration**
- **Washing & Waste Management**
- **Ice Cream & Beverage Dispense**
- **Ice Makers**
- **Coffee Machines**
- **Contract, Distribution & Service**

The Group emphasizes the engineering and development of state-of-the-art equipment, to meet and anticipate the changing competitive market demands.

ACP, Inc. is a proud member of the Ali Group.

# HIGH SPEED COMBINATION

## MXP High Speed Combination Oven

### Combination Cooking Features, Advantages and Benefits

- Fully customizable touchscreen  
*Add personalized photos and icons*
- Cooks 15 times faster than a conventional oven  
*Maximize sales and profits*
- Ventless installation\*  
*Economical installation, no increased HVAC*
- Easily transfer data via USB port, Wi-Fi or Ethernet  
*USB port is compatible with standard flash drives  
Perfect programming solution for multiple locations*
- Up to 360 programmable menu items  
*Expand and vary menu offerings for increased sales*
- Uses metal cookware\*\*  
*No special cookware needed*
- On demand cooking  
*Prepare fresh foods with great taste and texture*
- Compact exterior, large interior  
*Uses less counter space than competitive ovens, accepts a 356 mm (14") pizza*
- Ergonomic door opens below rack  
*Easier and safer to load*
- Flexible cooking platform  
*Use any combination of microwave, convection or infra-red radiant heat*
- Two cleanable air filters with a "clean filter" reminder  
*Removes easily and cleans in sink or dishwasher*
- Includes non-stick liners for simple cleaning and maintenance\*\*\*

\* Catalytic converter filters grease and odors from the air. This product conforms to the Ventless Operation Recommendations set forth by NFPA96 using EPA202 test method.

\*\* Up to 38mm (1 1/2") tall

\*\*\* MXP5221T & MXP5223T include 2 liners; MXP5223TLT & MXP5223TLT include 5 liners.



MXP5221T

Power and speed at your fingertips!

#### Models:

**MXP5221T**  
**MXP5223T**  
**MXP5221TLT**  
**MXP5223TLT**

#### Applications:

- Convenience stores
- Quick service restaurants
- Healthcare
- Schools
- Stadiums

Easy-to-use control panel eliminates language and literacy barriers



#### Combines three cooking energies



##### Microwave - 2200 W

- Fast heating, reduces cooking time
- Dual feed heats foods evenly



##### Forced convection - 2000 W

- 95°-270° C (200°- 520° F) temperature range cooks a variety of items
- Better toasting and browning



##### Infra-red radiant - 3000 W

- Enhances toasting, browning and crisping

#### Amazingly fast cooking times!



Panini sandwich heats in 25 seconds with Panini grill accessory (GR10)



Frozen 356 mm (14") pizza bakes in 2:30

# THE NEW WAVE IN COOKING

## Jetwave™ High-Speed Combination Oven



### Models:


JET514      JET5193  
 JET514V\*    JET519V3\*  
 JET5192        
 JET519V2\*

### Applications:

- Cafes
- Convenience stores
- Country clubs
- Kiosks
- Supermarkets
- Pubs and wine bars



The Jetwave is now available in optional colors!



Easy-to-understand control panel icons eliminate language and literacy barriers

Delicious menu items ready in just minutes!



French fries ready in 2:10 in the JET5192 & JET519V2



Ham & cheese sandwich heats in 1:10

### Combination Cooking Features, Advantages and Benefits

- **Bakes 4-10 times faster than a conventional oven**  
Available with 1400 watts or 1900 watts of microwave energy
- **100 programmable menu items, 4 stage cooking and 11 microwave power levels**  
Flexible high speed baking reduces training time, saves energy and provides consistent results
- **USB Port compatible with standard flash drives**  
Update programming in seconds
- **Uses metal cookware**  
No special cookware needed
- **Compact footprint**  
Accepts a 309 mm (12") pizza
- **Ventless Options**  
'V' models available with catalytic converters\*
- **Lift & Pull Handle**  
Reliable, easy oven access
- **Front magnetic, cleanable air filter with reminder**  
Easy to maintain and clean

\* Catalytic converter filters grease and odors from the air. This product conforms to the Ventless Operation Recommendations set forth by NFPA96 using EPA202 test method.

#### Microwave

- **1400 W, 1900 W**
- Heats quickly, shortens cooking time



#### Convection

- **2700 W**
- 65° -250° C (150° - 475° F) temperature range
- Enhanced toasting and browning



## COOK TIME COMPARISONS

# High Speed Combination Cooking

### Time is Money, and Xpress Ovens don't waste either!

- Combination cooking lets you turn a small area into a high production kitchen
- Flexible cooking platform Temperature and microwave power are adjustable Increases menu options
- Cuts energy costs Only uses energy when cooking Eliminates need for pre-cooking and holding No need for costly ventilation

### MXP and Jetwave™ Cooktime Comparisons

Menu Item	JET514 Cook Times	JET5192 Cook Times	Diff. Between JET514 & JET5192	MXP5221T Cook Times	Diff. Between JET5192 & MXP
Baked Potato	6:45	5:25	20%	5:00	8%
Crab Cakes	3:40	2:30	32%	1:15	50%
French Fries	3:00	2:10	28%	1:00	54%
Panini	1:10	0:50	29%	0:40	20%
Pizza	4:30	3:15	28%	2:50	13%
Roasted Vegetables	3:40	3:00	18%	2:35	14%
Salmon Filet	3:40	2:40	27%	1:40	38%
<b>AVERAGE 24%</b>				<b>AVERAGE 18%</b>	

On average, the JET5192 cooks 24% faster than the JET514!  
The MXP cooks 18% faster than the JET5192!

### MXP and Jetwave™ Accessories



#### Pizza stone

- Aids in crisping and browning breads and pizzas
- ST10C for JET  
Size: 17 x 340 x 293 mm (2 2/3" x 13 2/5" x 11 1/2")
- ST10X for MXP  
Size: 17 x 366 x 366 mm (2 2/3" x 14 2/5" x 14 2/5")



#### Non-stick baskets

- Ideal cooking surface, makes clean up easier
- OB10 has solid bottom
- TB10, SB10, & NB10 have mesh bottom
- OB10 Size: 343 x 343 x 25 mm (13 1/2" x 13 1/2" x 1")
- TB10 Size: 254 x 305 x 25 mm (10" x 12" x 1")
- SB10 Size: 152 x 305 x 25 mm (6" x 12" x 1")
- NB10 Size: 292 x 343 x 25 mm (11 1/2" x 13 1/2" x 1")



#### Panini grill

- Provides distinctive grill marks (like a panini grill)
- GR10 for MXP,  
Size: 1/8" x 14" x 12 3/4" (5 x 355 x 324 mm)
- JR10 for JET,  
Size: 1/4" x 12 1/4" x 12" (7 x 312 x 305 mm)



#### Non-stick coated liners

- For easy cleaning and to protect oven components
- TL10T2 for MXP "T" models (2pcs)
- TL10 for MXP "TLT" models (5pcs)
- TL10T for MXP models (4pcs)
- TL12 for JET ovens



#### Grill Plate

- Dual purpose nonstick plate serves as a cooking surface or drip tray
- DR10  
Size: 61 x 439 x 337 mm (2 2/5" x 17 1/4" x 13 1/4")



#### Oven paddle

- Helps remove sandwiches, pizza, cookware from oven
- PA10 Size: 70 x 331 x 515 mm (2 3/4" x 13" x 20 1/4")



#### Equipment carts

- Stainless steel top, aluminum frame and casters
- Two sizes available, 610 mm (24') and 762 mm (30')
- CA24  
Size: 610 x 660 x 660 mm (24" x 26" x 26")
- CA30  
Size: 762 x 660 x 660 mm (30" x 26" x 26")



#### Square Metal Pan

- Aluminum pan for MXP
- SQ10 Size: 330 x 330 x 25 mm (13" x 13" x 1")



#### Leg Kit

- 102 mm (4") Leg Kit for MXP
- LG10



#### Panini Press

- Creates pressed panini marks
- PRS10 for MXP  
Size: 388 x 521 x 426 mm (15 1/4" x 20 1/2" x 16 3/4")



## READY WHEN YOU ARE! OnCue™ Series Microwave Oven

### Short Cook Times

- Ideal for quick service applications
- 4 sec – boost heat 1 prepared 142 g (5 oz.) cheeseburger
- 20 sec – re-therm 1 refrigerated 142 g (5 oz.) breakfast croissant
- 1 min 10 sec – defrost and re-therm 198 g (7 oz.) mac 'n cheese
- 1 min 30 sec – heats 170 g (6 oz.) spinach dip from frozen



Close door and activate control pad in one motion



Cleans easily with a quick wipe



Door extends out for easy cleaning of the cavity

### Microwave Cooking Features, Advantages and Benefits


- **2400 watts of power**  
*Fast heating = more customer turns*
- **Unique pop up door**  
*Uninterrupted kitchen traffic  
Operators are visually cued when food is ready*
- **Ergonomic design**  
*Close door and select keypad in one motion*
- **Angled Control Panel**  
*Easy to operate and view*
- **Program up to 100 menu items**  
*Delivers consistent, quality results*
- **9 liter (.312 cubic ft.) oven capacity**  
*Accepts one 152 mm (6") deep 1/4 size pan*
- **Automatic voltage sensor**  
*Plug and cook installation*
- **Jigsaw shaped footprint**  
*Doubles productivity on a 724 mm (28 1/2") shelf*



Cheeseburger boost heats in 4 seconds



Spinach dip heats from frozen in 1:30



Unique "jigsaw shaped" footprint.  
Uses only 346 mm (13 5/8") of space (width) on a 724 mm (28 1/2") deep shelf.

# SIMPLIFY STEAMING

## MSO Oven

### Bulk Heating Features, Advantages and Benefits

- **4x faster than traditional steamers**
- **Compact footprint that accepts 1/1 full size Gastronorm pans 45 L cavity size**  
Stackable to increase throughput and save valuable counter space
- **Fast cooking retains food quality and nutrition**  
Seafood and proteins are tender and thoroughly cooked, never chewy and rubbery. Vegetables are crisp and colorful, never limp or soggy
- **Easy and safe operation**  
Pull down door design allows for easy removal of pans
- **Low cost and green**  
Runs on less than \$1 of energy per day\*
- **Low Maintenance**  
Save thousands of dollars a year on energy, plumbing and ventilation costs
- **Accepts standard USB flash drives**  
Simple programming  
Easily program multiple ovens

\*Dependent on frequency of use and energy costs.

#### COOK TIMES

FOOD ITEM	TRADITIONAL STEAMER	COMPETITIVE MICROWAVE STEAMER	3500W MSO
Baby Red Potatoes - 4.5 kg (10 lbs.)	25:00	13:00	11:50
Frozen Vegetables - 3.5 kg (8 lbs.)	18:00	12:00	10:00
4 Lobster Tails -	6:00	1:15	1:00
Poached Cod - 8 filets	12:00	7:00	6:00
Frozen Soup - 80 oz.	45:00	7:30	6:30
Shrimp - 1 kg (2 lbs.)	6:00	2:40	2:25



#### Models:

**MSO5211**

**MSO5351**

**MSO5353**

#### Batch Cooking Applications or...

- Schools
- Healthcare facilities
- Buffets
- Cafeterias
- Stadiums

#### On-Demand Steaming Solutions for...

- Casual and fine dining
- Seafood restaurants
- Country clubs
- QSR
- Supermarkets



- Accepts standard USB flash drives

- User friendly keypad icons overcome language and literacy barriers.

- Cook food to perfection using only top or bottom magnetrons

- Dual time entry: set cook times with dial or keypads



Take a closer look at these exciting new features!

#### Amazingly fast cooking times!



Four lobster tails cook in 1 minute



3.5 kg (8 lbs.) of frozen vegetables steam in 10 minutes

## Simplify Steaming with the MSO, DEC or RFS!



### How can commercial microwaves replace steamers?

- Higher wattage commercial microwaves like the MSO, DEC and RFS cook so quickly that moisture in food is converted to steam.
- Higher wattage = better food quality
- Food retains nutrients, texture and color.
- Vegetables remain crisp and appetizing.
- Bulk batches of frozen soups and sauces are ready to serve in minutes.
- No plumbing or vent hood required.



### More Compact

- Easy to stack, no kit required
- Exterior footprint saves valuable space in busy kitchens

### More Efficient

- Ideal for institutions that require large batch cooking or restaurants steaming several different entrées at once
- Increased speed and flexibility. With two units, cook times can be staggered; no waiting for one large pan to finish before starting another batch
- 100 programmable menu settings reduces prep time and simplifies training

### More Profitable

- In addition to keeping food waste to a minimum, microwave ovens are energy efficient.
- Energy consumption for 3500 W microwave ovens, like the MSO, is only \$.75 per day.\*

\*Energy costs: \$.10 kWh, 100 Cook Cycles per Day, Typical Cook Time: 1 Minute

Worth noting...

Because microwave cooking is so fast and requires minimal water there is superior retention of food nutrients, texture and color.

# CHEF LINE

## DEC Series Commercial Microwaves

### Microwave Cooking Features, Advantages and Benefits

- **1400, 1800 or 2100 watts of cooking power**  
*Excellent food quality, with more throughput*
- **No vent hood required**  
*Economical installation and minimal maintenance*
- **17 liter (.6 cu ft.) oven capacity**  
*Accepts one 152 mm (6") deep 1/2 size food pan for efficient preparation of single portions*
- **Unique dual, top and bottom, antenna system**  
*Consistent, fast, superior cooking results*
- **Holds up to 100 menu items**  
*Simplifies programming and expands menu possibilities*
- **Interlocks tested beyond industry standards**  
*Withstands up to 250,000 door closings for peace of mind operation*
- **Exceptional fit and finish**  
*Rounded easy to clean corners, no snagging fingers or cloths*

High quality tempered inner and outer glass window

Cleanable air filter removes easily



#### Models:

**DEC14E2**

**DEC18E2**


**DEC21E2**

#### Applications:

- Casual dining
- Quick service restaurants
- Bars and grills
- Stadiums
- Healthcare



#### 10 Programmable Pads



*Easy-to-understand control panel icons eliminate language and literacy barriers*



#### MENUMASTER COMPETITION

*This side-by-side thermographic comparison with a competitive brand demonstrates the superior, even cooking performance of Menumaster® Commercial microwave ovens.*



*2 liters (4 pints) of scrambled eggs ready in under 5 minutes*



*Steam 8 pieces of shrimp in only 37 seconds*

## Quick Guide to Outstanding Microwave Features

Series	Number of Magnetrons	Stackable	Stainless Steel	Tempered Glass Window	Recessed Ceramic Shelf	Cavity Light	Air Filter	Clean Filter Reminder	Menu Items	Quantity Pad	Power Levels	Cooking Stages
OnCue™	2	Yes	Cabinet / Cavity	No Window	Yes	No	No	No	100	No	11	4
MSO	4	Yes	Cabinet / Cavity	Yes	Yes	Yes	Yes	Yes	100, A/B option	×2	11	4
DEC	2	Yes	Cabinet / Cavity	Yes	Yes	Yes	Yes	Yes	100	×2	11	4
RFS	2	Yes	Cabinet / Cavity	Yes	Yes	Yes	Yes	Yes	100	×2	5	4
RCS	1	Yes	Cabinet / Cavity	Yes	Yes	Yes	Yes	Yes	100	×2 RCS511TS 4 - RCS511DSE	5 - RCS511TS 4 - RCS511DSE	4 RCS511TS only
RMS	1	No	Cabinet / Cavity	Yes	Yes	Yes	No	No	20 RMS510TS only	×2 RMS510TS only	5 RMS510TS only	3 RMS510TS only

### There's NO Greener Way to Cook!

#### Energy Costs by Wattage and Power Consumption...

Parameters are:

- Energy costs: \$.10 kWh\*
- Cook cycles per day: 100 cook cycles
- Typical cook times: 60 seconds

\* Energy cost estimate is based on the U.S. Energy Information Administration Independent Statistics and Analysis Report for commercial energy usage.

Worth noting...

Assuming 450 hours of use per year and regular maintenance, average life expectancy of a commercial microwave is 5 years.

## RESTAURANT LINE

# RFS Series Commercial Microwave

### Microwave Cooking Features, Advantages and Benefits

- 1800 watts of cooking power
- 34 liters (1.2 cubic ft.) oven capacity  
*Accommodates a 406 mm (16") oblong platter*
- Twin antennas, one on top and one on bottom  
*Even cooking, consistent food quality*
- Gasket sealed ceramic cooking shelf  
*Spills clean-up fast and easy*
- 100 programmable menu items, 4 stages of cooking and 5 microwave power levels  
*Reduces prep time, labor and simplifies training*
- X2 quantity pad  
*Automatically calculates cook time for double quantities*
- “On the fly” cooking  
*While cooking, operator can reset timer*

Unique ergonomic door handle opens with one finger

Air filter removes for easy cleaning



#### Models

#### RFS518TS


#### Applications:

- Fast casual restaurants
- Bars, grills, pubs
- Schools
- Prep stations
- Family restaurants

Touch pad icons are easy to use:  
10 programmable pads,  
Braille touch pads



Removable splatter shield  
cleans easily



Large cavity accommodates a 406 mm (16") oblong platter



Mac & Cheese heats in 2:00



Fresh asparagus steams in 1:10

## RCS Series Commercial Microwaves



RCS511TS

Tempered glass outer window

## Models:

RCS511DSE  
RCS511TS

## Applications:

- Recreation centers
- Convenience stores
- Cafes
- Dessert stations


Accommodates a 356mm (14") platter.  
RCS511DSE shown above.

## Microwave Cooking Features, Advantages and Benefits

- 1100 watts of cooking power
- Stainless steel construction inside and out  
*Withstands the foodservice environment*
- 34 liters (1.2 cubic ft.) oven capacity, larger than comparable competitive ovens  
*Accommodates a 356 mm (14") platter*
- Motor driven top antenna  
*Consistent heating results*
- Front air filter with clean filter reminder  
*Non-removable, no parts to lose during cleaning*
- Grab 'n Go handle  
*Reliable, long lasting*
- Tempered glass outer oven door window, quality commercial construction
- Touch controls - RCS511TS  
*100 programmable menu items  
4 stages of cooking,  
5 microwave power levels  
Braille touch pads*
- Dial controls - RCS511DSE  
*10:00 light up dial timer  
20%, 50%, 70% and 100% microwave power  
1 cooking stage  
Automatic reset to zero when cooking cycle is interrupted  
Manual reset to zero available as user option*

## RCS ovens deliver delicious results.

## RCS511DSE control panel



10 minute dial timer with automatic reset to zero

Lighted power level indicator - quickly monitor oven from a distance

Keypad power level selectors include:  
20% power (Defrost)  
50% power  
70% power  
100% power

113 g (4 oz.) pre-cooked chicken breast thaws and cooks in under 3 minutes



Mexican platter, 30 second boost heat

Worth noting...

Microwave cooking technology was first introduced to the market in the 1940s as Radarange®. It's a name that's still synonymous with ACP, Inc.

## VALUE LINE

# RMS Series Commercial Microwave

### Microwave Cooking Features, Advantages and Benefits

- **1000 watts of cooking power**
- **Stainless steel cabinet and oven interior**  
*Easy to clean*
- **Ample 23 liter (.8 cubic ft.) oven capacity**  
*Accommodates a 305 mm (12") platter*
- **Motor driven bottom antenna system**  
*Reliable heating results*
- **Grab 'n Go handle**  
*Reliable use*
- **Interior oven light**  
*20 watt bulb fully lights cavity*
- **Keybeep volume - user option**  
*Allows user to turn off keybeep or select from 3 volume levels*
- **Easy-to-understand controls**  
*RMS510TS icons eliminate language and literacy barriers,*
- **Touch Controls - RMS510TS**  
*20 programmable menu settings  
5 microwave power levels  
3 stages of cooking  
Braille touch pads*
- **Dial Controls - RMS510DS**  
*6:00 light up dial timer,  
100% microwave power only  
Auto reset to zero when cooking is interrupted*



#### Models:

RMS510DS

RMS510TS

#### Applications:

- Convenience stores
- Dessert stations
- Nurses stations



*RMS510TS with touch controls  
offers programmable convenience*



*Simple operation of the RMS is perfectly  
suited for vending locations and break areas*



*255 g (9 oz.) cup of chili re-therms in 1:45*

**Worth  
noting...**

ACP holds  
over 96 patents  
in industrial  
and commercial  
products.  
No one in the  
industry holds  
more.

## OVEN SPECIFICATIONS

Model	ELECTRICAL PROPERTIES			DIMENSIONS				Safety Listing	Safety Listing	Weight Prod./Ship
	Wattage	Power Source	Plug Type	Cabinet (mm)	Cavity (mm)	Capacity (Liters)	Shipping (mm)			
MXP5221T MXP5221TLT	2200-M* 2000-C 3000-R	208-240V 50 Hz 32 A, single	IEC 309 	H: 518 W: 638 D: 699	H: 254 W: 406 D: 381	39	H: 826 W: 718 D: 883	CE		68 kg 79 kg
MXP5223T MXP5223TLT	2200-M* 2000-C 3000-R	400V 50 Hz, Wye 16 A, 3-phase 5 wire	IEC 309 	H: 518 W: 638 D: 699	H: 254 W: 406 D: 381	39	H: 826 W: 718 D: 883	CE		68 kg 79 kg
JET519V3	1900-M* 2700-C	400V 50 Hz, 16 A, 3-phase 5 wire	IEC 309 	H: 460 W: 489 D: 673	H: 267 W: 330 D: 381	34	H: 546 W: 540 D: 756	CE		52 kg 54 kg
JET5193	1900-M* 2700-C	400V 50 Hz, 16 A, 3-phase 5 wire	IEC 309 	H: 460 W: 489 D: 673	H: 267 W: 330 D: 381	34	H: 546 W: 540 D: 756	CE		50 kg 52 kg
JET519V2	1900-M* 2700-C	230V 50 Hz, 16 A, single	CEE 7/7 "Schuko" 	H: 460 W: 489 D: 673	H: 267 W: 330 D: 381	34	H: 546 W: 540 D: 756	CE		52 kg 54 kg
JET5192	1900-M* 2700-C	230V 50 Hz, 16 A, single	CEE 7/7 "Schuko" 	H: 460 W: 489 D: 673	H: 267 W: 330 D: 381	34	H: 546 W: 540 D: 756	CE		50 kg 52 kg
JET514V	1400-M* 2700-C	230V 50 Hz, 16 A, single	CEE 7/7 "Schuko" 	H: 460 W: 489 D: 673	H: 267 W: 330 D: 381	34	H: 546 W: 540 D: 756	CE		52 kg 54 kg
JET514	1400-M* 2700-C	230V 50 Hz, 16 A, single	CEE 7/7 "Schuko" 	H: 460 W: 489 D: 673	H: 267 W: 330 D: 381	34	H: 546 W: 540 D: 756	CE		50 kg 52 kg
MSO5353	3500-M*	400V 50 Hz, Wye 16 A, 3-phase 5 wire	IEC 309 	H: 473 W: 651 D: 597	H: 251 W: 533 D: 330	45	H: 565 W: 768 D: 667	CE		66 kg 73 kg
MSO5351	3500-M*	230-240V 50 Hz 30 A, single	IEC 309 	H: 473 W: 651 D: 597	H: 251 W: 533 D: 330	45	H: 565 W: 768 D: 667	CE		66 kg 73 kg
MSO5211	2100-M*	230-240V 50 Hz, 16 A, single	CEE 7/7 "Schuko" 	H: 473 W: 651 D: 597	H: 251 W: 533 D: 330	45	H: 565 W: 768 D: 667	CE		66 kg 73 kg
MOC5241	2400-M*	230-240V 50 Hz 16 A, single	CEE 7/7 "Schuko" 	H: 448 W: 346 D: 487	H: 137 W: 298 D: 254	9	H: 524 W: 432 D: 559	CE		32 kg 33 kg
DEC21E2	2100-M*	230-240 V 50 Hz 16 A, single	CEE 7/7 "Schuko" 	H: 343 W: 419 D: 549	H: 171 W: 330 D: 305	17	H: 473 W: 556 D: 625	CE		30 kg 34 kg
DEC18E2	1800-M*	230-240 V 50 Hz 16 A, single	CEE 7/7 "Schuko" 	H: 343 W: 419 D: 549	H: 171 W: 330 D: 305	17	H: 473 W: 556 D: 625	CE		30 kg 34 kg
DEC14E2	1400-M*	230-240 V 50 Hz 16 A, single	CEE 7/7 "Schuko" 	H: 343 W: 419 D: 549	H: 171 W: 330 D: 305	17	H: 473 W: 556 D: 625	CE		30 kg 34 kg
RFS518TS	1800-M*	230 V 50 Hz 16 A, single	CEE 7/7 "Schuko" 	H: 365 W: 552 D: 508	H: 225 W: 359 D: 413	34	H: 470 W: 664 D: 581	CE		29 kg 32 kg
RCS511TS	1100-M*	230 V 50 Hz 16 A, single	CEE 7/7 "Schuko" 	H: 352 W: 559 D: 483	H: 216 W: 368 D: 381	34	H: 422 W: 640 D: 502	CE		19 kg 22 kg
RCS511DSE	1100-M*	230 V 50 Hz 16 A, single	CEE 7/7 "Schuko" 	H: 352 W: 559 D: 483	H: 216 W: 368 D: 381	34	H: 422 W: 640 D: 502	CE		19 kg 22 kg
RMS510TS	1000-M*	230 V 50 Hz 16 A, single	CEE 7/7 "Schuko" 	H: 311 W: 508 D: 419	H: 197 W: 330 D: 330	23	H: 381 W: 584 D: 457	CE		14 kg 17 kg
RMS510DS	1000-M*	230 V 50 Hz 16 A, single	CEE 7/7 "Schuko" 	H: 311 W: 508 D: 419	H: 197 W: 330 D: 330	23	H: 381 W: 584 D: 457	CE		14 kg 17 kg

M= Microwave, C= Convection, R= Infra-red Radiant

\*IEC 60705 Tested



225 49th Ave. Dr. SW Cedar Rapids, IA 52404 U.S.A. • 800-233-2366 • 319-368-8120 • Fax: 319-368-8198  
[www.acpsolutions.com](http://www.acpsolutions.com)

© 2017 ACP, Inc. All rights reserved. Printed in the U.S.A.

M50170227EN